

Care Instructions

Ensure the longevity and appearance of your ELLISON STUDIOS. timber furniture with these care instructions:

- Use a soft, dry cloth regularly to prevent the build-up of dirt and grime.
- Clean timber with a damp cloth and mild soap solution, wiping in the direction of the wood grain. Avoid excessive water. Recommended products are available in the ELLISON STUDIOS. online store.
- Avoid prolonged exposure to direct sunlight. Extended exposure may cause fading of upholstery and changes to the timber finish over time.
- Maintain a stable environment to avoid warping or cracking.
- Blot spills immediately with a clean, dry cloth. Consult specific care instructions for tougher stains.
- Periodically polish with recommended products from the ELLISON STUDIOS. online store.
- Refrain from using abrasive cleaners or harsh chemicals.

Following these simple steps and guidelines will help to ensure the longevity of your ELLISON STUDIOS. product.

ELLISON STUDIOS.

ELLISON STUDIOS.

Product Care & Assembly Guide

Congratulations on your purchase of your ELLISON STUDIOS. Tondo Bedroom Screen. This document lists the contents included in your delivery.

Please take the time to read this document, as it includes important information about caring for your product as well as any assembly instructions that might be required. As you unpack your new item, place the contents on a carpeted or padded area to protect them from damage before placing the product in its final position

TONDO SCREEN

Hardware


- | | | |
|----|--------------|----|
| A. | L Bracket | x2 |
| B. | M6x20mm Bolt | x8 |

Tools Required

Allen Key (Provided)

Assembly Guidance

3 Person Minimum | 10 Minute Assembly



Contact Us

For Australian warranty related queries please contact:

customerservice@ellisonstudios.com


For any international customer service inquiries please contact the retailer of purchase.

Ellison Studios Group Pty Ltd

ELLISON STUDIOS.


Step 1

Raise one outer panel and attach L-bracket (A) using 4x bolt (B).



Step 2

While supporting the assembled panels, raise the remaining outer panel to 90° and attach remaining L-bracket (A) using the remaining 4x bolt (B) then tighten all bolts securely to 100%.



ELLISON STUDIOS.

Step 3

Carefully lift the assembled screen into an upright position and place it in the desired location.

