

# ELLISON STUDIOS.

## Product Care & Assembly Guide


Congratulations on your purchase of your ELLISON STUDIOS. Lull Bed. This document lists the contents included in your delivery.

Please take the time to read this document, as it includes important information about caring for your product as well as any assembly instructions that might be required. As you unpack your new item, place the contents on a carpeted or padded area to protect them from damage before placing the product in its final position.

## LULL KING BED- STORAGE

### Hardware

- |    |                  |     |
|----|------------------|-----|
| A. | M8x25mm Bolt     | x60 |
| B. | M8x50mm Bolt     | x14 |
| C. | M5x70mm Screw    | x6  |
| D. | M8 Spring Washer | x74 |
| E. | M8 Flat Washer   | x74 |
| F. | Corner Bracket   | x4  |
| G. | Lock Washers     | x6  |



### Tools Required

Allen Key  
Screwdriver (not supplied)

### Assembly Guidance

2 Person Minimum | 1 Hour Assembly

### Contact Us

For Australian warranty related queries please contact:


[customerservice@ellisonstudios.com](mailto:customerservice@ellisonstudios.com)

For any international customer service inquires please contact the retailer of purchase.

Ellison Studios Group Pty Ltd

---


# ELLISON STUDIOS.



The Lull Bed components are common to both the Fixed and Storage configurations. Please follow the assembly instructions carefully to ensure correct installation. Some holes will remain unused after assembly—which is normal, and dependent on whether it is the Fixed or Storage version.

## Step 1


Lay the side rail (J) on a flat, clean surface. Firstly securely fasten brace (P) into the holes shown in the diagram below using 2x bolt (B), 2x spring washer (D), 2x flat washer (E) and 3x screw (C) in the centre. Then securely fasten brace (O) using 2x bolt (B), 2x spring washer (D) and 2x flat washer (E). Repeat this step for the remaining side rail (I).



# ELLISON STUDIOS.


## Step 2

Fasten headboard brace (Q) and foot rail brace (Q) to the headboard (H) and foot rail (K) using 6x bolt (B), 6x spring washer (D) and 6x flat washer (E). Ensure the bolts are fastened securely.



## Step 3


Attach the assembled side rail (J) to the foot rail using 2x bolt (A), 2x spring washer (D) and 2x flat washer (E) to fasten the bolt to about 80%. Repeat this step for assembled side rail (I).



# ELLISON STUDIOS.



## Step 4

Attach the assembled side rails and footrail (I, J & K) to the headboard (H) using bolt 4x bolt (A), 4x spring washer (D) and 4x flat washer (E) to fasten to about 80%. Once all components are aligned, continue to tighten bolts to 100%.



## Step 5


Firstly, fasten bracket (F) to the foot (N) to 100% using 2x bolt (A), 2x spring washer (D) and 2x flat washer (E). Then attach the complete foot assembly into the corner of the bed frame as shown in the diagram on the right (ii) to 80% using 4x bolt (A), 4x spring washer (D) and 4x flat washer (E). Once all feet are aligned, tighten bolts to 100%.



# ELLISON STUDIOS.


## Step 6

Securely fasten all wooden legs (M) and lock washers (G) onto the centre rail (L) as shown in the diagram below. Repeat this step for the remaining centre rail assembly.



## Step 7


Next, attach both centre rails (L) onto the headboard (H) and footboard (K) using 8x bolt (A), 8x spring washer (D) and 8x flat washer (E).




# ELLISON STUDIOS.

## Step 8

Attach the gas lift mechanism to the support bar and securely fasten as shown below. Repeat this step for the remaining gas lift.




Once gas lifts secured, flip the safety bar into the lock position shown.



## Step 9


Securely fasten the gas-lift (T1) onto side rail (J) as shown in the diagram below using 4x bolt (A), 4x spring washer (D) and 4x flat washer (E). Repeat this step for remaining gas-lift (T2).



# ELLISON STUDIOS.


## Step 10

Install the bed platform (S1 & S2) onto gas lift (T1 & T2). Ensure that the orientation of the bed platform is correct and aligns with the holes on the gas lifts. Use 12x bolt (A), 12x spring washer (D) and 12x flat washer (E) to fasten securely.



## Step 11



Place the base platforms (R1-R4) onto the bed base and centre rail (L) and push towards the headboard (H).




# ELLISON STUDIOS.

## Step 12

Assembly is now complete and product is ready for use. Don't forget to recycle the packaging where possible.



Before closing the bed base, ensure the safety bar on both gaslifts are in the unlocked position.



## Care Instructions

Ensure the longevity and appearance of your ELLISON STUDIOS. fabric upholstered furniture with these care instructions:

- Vacuum periodically with an upholstery attachment to remove dust and debris. Blot spills immediately with a clean, dry cloth. Follow specific care instructions for stubborn stains.
- Minimize exposure to direct sunlight to prevent fading and deterioration.
- Regularly rotate and fluff cushions to ensure even wear and maintain shape.
- Avoid placing sharp objects on or near the furniture to prevent snags and tears.
- Use protective felt pads under the legs to prevent scratches on floors.
- Do not use abrasive cleaners or harsh chemicals. Refer to specific care instructions for your fabric type.
- Consider professional cleaning services every 12-18 months.
- Use fabric protection sprays safe for your upholstery. Recommended products are available in the ELLISON STUDIOS. online store.

Following these simple steps and guidelines will help to ensure the longevity of your ELLISON STUDIOS. product.

Blank Page